

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	(@pd < "20020408" @ad < "20020412") and (submanag\$4 (intermediat\$4 sub) adj manag \$7) with (udp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 08:18
S2	3	(@pd < "20020408" @ad < "20020412") and (submanag\$4 (intermediat\$4 sub) adj manag \$7) same (udp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 08:18
S3	0	(@pd < "20020408" @ad < "20020412") and hierach\$7 near2 manag\$7 same (udp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 08:21
S4	1	(@pd < "20020408" @ad < "20020412") and hierach\$7 near2 manag\$7 and udp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 08:21
S5	103	(@pd < "20020408" @ad < "20020412") and manag\$4 same udp same mib	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 08:21
S6	0	(@pd < "20020408" @ad < "20020412") and manag\$4 same udp same mib same smtp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 08:22

S7	101	(@pd < "20020408" @ad < "20020412") and manag\$4 same udp same mib same snmp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 08:22
S8	0	(@pd < "20020408" @ad < "20020412") and manag\$4 same udp same mib same snmp and hierach\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 08:22
S9	0	(@pd < "20020408" @ad < "20020412") and manag\$4 same udp same mib same snmp and hierach\$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 08:22
S10	8	(@pd < "20020408" @ad < "20020412") and manag\$4 same udp same mib same snmp and manag\$5 near2 level\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 08:23
S11	153	(@pd < "20020408") and snmp with udp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 08:26
S12	15	(@pd < "20020408") and snmp with udp with over	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 08:26
S13	11	(@pd < "20020408" @ad < "20020412") and (udp near2 head\$4) same bit \$1 with ("62" "63" "64" "65" "66" "67" "68" "69")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 09:36

S14	137	(@pd < "20020408" @ad < "20020412") and (udp near2 head\$4) same (bit \$1 with ("62" "63" "64" "65" "66" "67" "68" "69") byte\$2 with ("8"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 09:37
S15	23	(@pd < "20020408" @ad < "20020412") and (udp near2 head\$4) same bit \$1 with \$2compress\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 09:38
S16	15	(@pd < "20020408" @ad < "20020412") and (udp near2 head\$4) with \$2compress\$5 with (flag\$5 indicat \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 09:45
S17	199	(@pd < "20020408" @ad < "20020412") and (header\$1) with \$2compres\$7 with (flag\$5 indicat \$5) with bit\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 09:48
S18	49	(@pd < "20020408" @ad < "20020412") and (header\$1) with \$2compres\$7 near3 (flag\$5 indicat\$5) near3 bit \$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 09:48
S19	12	(@pd < "20020408" @ad < "20020412") and (header\$1) with \$2compres\$7 near3 (flag\$5 indicat\$5) near3 bit \$2 and (datagram \$2 udp\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 09:50

S20	1	(@pd < "20020408") and SNMP with manag \$7 with (queue\$2 buffer\$2) with input with output	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 12:52
S21	8	(@pd < "20020408") and SNMP and manag \$7 with (queue\$2 buffer\$2) with input with output	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 12:52
S22	2	(@pd < "20020408") and SNMP and manag \$7 with (queue\$2 buffer\$2) near2 input with output	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 12:57
S23	18	(@pd < "20020408") and SNMP and manag \$7 with (queue\$2 buffer\$2) near2 (input andoutput)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 12:57
S24	1	(@pd < "20020408") and SNMP and manag \$7 with (queue\$2 buffer\$2) near2 (input and output)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 12:57
S25	13	(@pd < "20020408" @ad < "20020412") and SNMP and manag\$7 with (queue\$2 buffer \$2) near2 (input and output)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 12:58
S26	6	(@pd < "20020408" @ad < "20020412") and network near2 manag\$7 with (queue\$2 buffer \$2) near2 (input and output)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 13:07

S27	165	(@pd < "20020408" @ad < "20020412") and manager\$1 with (input and output) near2 (queue\$2 buffer \$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 13:17
S28	9	(@pd < "20020408" @ad < "20020412") and manager\$1 with (input and output) near2 (queue\$2 buffer \$2) and snmp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 13:17
S29	1	(@pd < "20020408") and SNMP with manag \$7 with (queue\$2 buffer\$2) near2 input\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 13:29
S30	50	(@pd < "20020408" @ad < "20020412") and snmp with manag\$5 with (queue\$4 buffer \$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 13:30
S31	23	(@pd < "20020408") and snmp with manag \$5 with (queue\$4 buffer\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 13:30
S32	2	(@pd < "20020408" @ad < "20020412") and SNMP with (input and output) near2 (queue\$4 buffer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 13:45
S33	4	(@pd < "20020408" @ad < "20020412") and SNMP same (input and output) near2 (queue\$4 buffer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 13:46

S34	6	(@pd < "20020408" @ad < "20020412") and SNMP with (output input) near2 (queue\$4 buffer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 13:47
S35	17	(@pd < "20020408" @ad < "20020412") and SNMP same (output input) near2 (queue\$4 buffer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 13:48
S36	223	(@pd < "20020408" @ad < "20020412") and SNMP with (output input)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 13:54
S37	114	(@pd < "20020408" @ad < "20020412") and SNMP with (buffer\$2 queue \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 13:54
S38	114	(@pd < "20020408" @ad < "20020412") and SNMP with (buffer\$2 queue \$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 13:54
S39	42	(@pd < "20020408" @ad < "20020412") and SNMP with (buffer\$2 queue \$2) with (input\$4 output\$4 receiv\$4 send\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 13:54
S40	21	(@pd < "20020408") and SNMP with (buffer \$2 queue\$2) with (input\$4 output\$4 receiv\$4 send\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 13:55

S41	3	(@pd < "20020408") and manag\$7 near2 SNMP with (buffer \$2 queue\$2) with (input\$4 output\$4 receiv\$4 send\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 13:55
S42	11	(@pd < "20020408") and manag\$7 with SNMP with (buffer \$2 queue\$2) with (input\$4 output\$4 receiv\$4 send\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 13:58
S43	16	(@pd < "20020408" @ad < "20020412") and manag\$7 with SNMP with (buffer \$2 queue\$2) with (input\$4 output\$4 receiv\$4 send\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 13:58
S44	1	"6044468".pn. and buffer\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 14:10
S45	1	"6044468".pn. and "123"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 14:10
S46	1	"6044468".pn. and buffer\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 14:11
S47	336	(@pd < "20020408" @ad < "20020412") and (multiple several many more adj than adj one) with snmp with manag\$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 14:17

S48	35	(@pd < "20020408" @ad < "20020412") and (multiple several many more adj than adj one) near3 snmp near3 manag\$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 14:17
S49	1	(@pd < "20020408" @ad < "20020412") and many near3 snmp near3 managed	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 14:24
S50	1	(@pd < "20020408" @ad < "20020412") and snmp near3 managed near3 (many serveral)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 14:25
S51	312	(@pd < "20020408" @ad < "20020412") and snmp near3 managed	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 14:25
S52	0	(@pd < "20020408" @ad < "20020412") and snmp near3 managed with more adj than adj one	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 14:25
S53	0	(@pd < "20020408" @ad < "20020412") and snmp near3 manag\$7 with more adj than adj one	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 14:25
S54	26	(@pd < "20020408" @ad < "20020412") and snmp near3 manag\$7 near3 "same"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 14:26

S55	2	"5740368".pn. and "112"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 14:33
S56	1	"5740368".pn. and "112" with ("301" "303")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 14:34
S57	1	"5740368".pn. and "112" with managers	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 14:35
S58	1	"5740368".pn. and "112" with manager\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 14:35
S59	1	"5740368".pn. and "112" with (snmp cmip)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 14:36
S60	155	(@pd < "20020408" @ad < "20020412") and snmp near3 managers	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 14:37
S61	51	(@pd < "20020408") and snmp near3 managers	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 14:38
S62	2	"6192402".pn. and manager\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 14:43

S63	33	(@pd < "20020408" @ad < "20020412") and snmp near3 manag\$7 with (redundan\$7 backup\$4 back\$4 adj up\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/22 14:45
-----	----	---	---	----	-----	---------------------

1/ 26/ 2009 4:26:56 PM

C:\ Documents and Settings\ aoh\ My Documents\ EAST\ Workspaces\ 10511188
\ 10511188.wsp